APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date	of filing in State Engineer's Office	MAR 1 9 1990
	* *	
Corr	rected application filed	Map filed MAR 1 9 1990
		political subdivision of the State of Nevada
	••	
	O John Collins, Post Office : Street and No. or P.O. Box No.	
Ne	eVada (89530) State and Zip Code No.	hereby make application for permission to change the
	Point of Divers	ion of diversion, manner of use, and/or place of use
of w	ater heretofore appropriated under	a portion of Dormit No. 41955
identif	y right in Decree.	
1.	The source of water is	Underground Well Name of stream, lake, underground spring or other source.
2.	The amount of water to be changed	
	,	Oungi-Municipal and Domoctic
	Im	guasi-Municipal and Domestic Quasi-Municipal and Domestic
	The water heretorore permitted for	Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
		Describe as being within a 40-acre subdivision of public survey and by course and ne-quarter corner of said Section 11 bears, S 69°
	09' 13" W a distance of 181	
6. ′	The existing permitted point of diversion	is located within SW½ SW½ Section 16, T18N, R20E, MDM, If point of diversion is not changed, do not answer.
-	or at a point from which the	e East one-quarter corner of said Section 16 bears,
	N 70° 10' E a distance of 4	,520 feet
7.]	Proposed place of use See a Des	ttached Exhibit A scribe by legal subdivisions. If for irrigation state number of acres to be irrigated.
•		
8. 1	Existing place of use See a Describe by lega	ttached Exhibit A I subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
Ī	manner of use of irrigation permit, describe acreage to be	removed from irrigation.
9. 1	Use will be from January 1	to December 31 of each year.
	Month and I	Day Month and Day to December 31 of each year. th and Day Month and Day
		the provisions of NRS 535.010 you may be required to submit plans and
S	specifications of your diversion or storage	e works.) Drill well, install pump, motor, storage State manner in which water is to be diverted, i.e. diversion structure.
i	tank and waterlines. ditches, pipes and flumes, or drilled well, etc.	
	•	,000
13. 1	Estimated time required to construct wor	ksOne Year

This application changes 8.48 million gallons per annum. The remaining 109.47 million gallons per annum remains at the existing permit No. 41955. This water will be used for Sporting Clay Trap Shot, Club House, Apartment and outside uses. By s/Richard W. Arden Agent 950 Industrial Way Sparks, NV (89431) Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained in of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit	
This water will be used for Sporting Clay Trap Shot, Club House, Apartment and outside uses. By #/Richard M. Arden Agent 950 Industrial May Sparks, NV (89431) Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed anaintained in the discharge pipeline near the point of diversion and accurate must be kept of water placed to beneficial use. The totalizing measurements must be kept of water placed to beneficial use. The totalizing mean anaintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands: The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit helder obtain other permits from State, Federal and local agencies. Work must be prosecuted with reasonable diligence and be completed on or before. May 21, 1991 Application of work filed AUG 1 2 1991 In TESTIMONY WHERGOF, I, R. MICHAEL TURNIPSEED, P.E. Saue Engineer of Nevada, have hereamo set my hand and the seal of my office, this 21st. day of December	This application changes 8.48 million gallons per annum. The remaining
This water will be used for Sporting Clay Trap Shot, Club House, Apartment and outside uses. By S/Richard W. Arden Agent 950 Industrial Way Sparks, NW (89431) Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well is a totalizing mater must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing measurements must be kept of water placed to beneficial use. The totalizing measurements must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent wasts. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The state retains the right to regulate the use of the water herein granted at any and all times. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The insuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. Q.1.1. cubic feet per second. hut. not. to exceed an annual duty of 8,48 million gallons senually. Work must be prosecuted with reasonable diligence and be completed on or before. June 21, 1991 Application of work filed. AUG 1 2 1991 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E. Same Engineer of	
By s/Richard W. Arden Agent Sparks, W (89431) Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an inderground source as heretofore granted under Permit 41955 is issued subject to the following limitations imposed in said Permit 41955 and with the understanding that no their rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and saintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and saintained to prevent waste. This source is located within an area designated by the state Engineer pursuant to NNS 534.030. The State retains the right to regulate the see of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The insuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. Only completion of work shall be filed before. June 21, 1991 Application of water to beneficial use shall be filed on or before. September 23, 1992 Application of work filed. AUG 1 2 1991 IN TESTIMONY WHEREOF, I, E. MICHAEL TURNIPSEED, P. E. State Engineer of Novada, have hereauto set my land and the sed of my office, this. 215th. day of D	109.47 million gallons per annum remains at the existing permit No. 41955.
By SRichard W. Arden Agent 950 Industrial Way Sparks, NV (89431) Protested. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an anderground source as heretofore granted under Permit 41955 is issued subject to the sterms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed heroin. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and saintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be been shalled and anintained to prevent waste. This source is located within an area designated by the state Engineer pursuant to NNS 534.030. The State retains the right to regulate the state Engineer pursuant to NNS 534.030. The State retains the right to regulate the state of the water heroin granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies. The annual of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed	This water will be used for Sporting Clay Trap Shot, Club House, Apartment
Protested APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and anintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.99 million gallons annually. The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 0.13 cubic feet per second but not to exceed an annual duty of 8.48 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. September 23, 1992 Proof of completion of work filed AUS 1 2 1991 IN TENTIMONY WHEREOF, I. E. MICHAEL TURNIPSEED, P. E. Saite Engineer of Nevada, have hereune set my hand and the seal of my office, this. 21st. day of De	and outside uses.
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and anintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. The sessuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. O.13	950 Industrial Way
This is no certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an underground source as herotofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no better rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and anintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained to prevent waste. This source is located within an area designated by the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the state Engineer pursuant to NRS 534.030. The state retains the right to regulate the state Engineer pursuant to NRS 534.030. The state retains the right to regulate the state Engineer pursuant to NRS 534.030. The state retains the right to regulate the state Engineer pursuant to NRS 534.030. The state retains the right to regulate the state Engineer pursuant does not extend the permittee the right of ingress and egress on public, private or corporate lands. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before May 21, 1991 Application of water to beneficial use shall be filed on or before October 23, 1992	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit to change the point of diversion of a portion of the waters of an anderground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well-shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained to prevent waste. This source is located within an area designated by the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the state Engineer or corporate lands. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.13 cubic feet per second but not permit to exceed 1.3, 1991 Application of water to beneficial use shall be filed on or before 1.4 May 21, 1991 Application of water to beneficial use shall be filed on or before 1.5 Permit May 1992 Application of water to beneficial use shall be filed on or before 1.5 Permit May 1992 Application of water to beneficial use shall be filed on or before 1.5 Permit May 1992 Application of	Protested
This permit to change the point of diversion of a portion of the waters of an inderground source as heretofore granted under Permit 41955 is issued subject to the terms and conditions imposed in said Permit 41955 and with the understanding that no their rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate neasurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the state Engineer pursuant to NRS 534.030. The State retains the right to regulate the sea of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually. The issuance of this permit does not waive the requirements that the permit molder obtain other permits from State, Federal and local agencies. The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.13 cubic feet per second but not to exceed 1.1991 Application of work shall be filed before. June 21, 1991 Application of water to beneficial use shall be filed on or before September 23, 1992 Application of water to beneficial use shall be filed on or before October 23, 1992 Application of proof of beneficial use shall be filed on or before October 23, 1992 Application of work filed AUG 1 2 1991 IN TESTIMONY WHEREOF, I. R. MICHAEL TURNIPSEED, P. F. State Engineer of Nevada, have hercunto set	APPROVAL OF STATE ENGINEER
Application of water to beneficial use shall be filed on or before. May 21, 1991 Application of water to beneficial use shall be filed on or before. May 21, 1991 Application of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before. May 21, 1991 Application of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before. Completion of work filed AUG 1 2 1991 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of December	shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times. This permit does not extend the permittee the right of ingress and egress or public, private or corporate lands. The total combined duty of water under Permits 41955 and 54567 shall not exceed 117.95 million gallons annually.
Mork must be prosecuted with reasonable diligence and be completed on or before. May 21, 1991 Proof of completion of work shall be filed before. Application of water to beneficial use shall be made on or before. Proof of the application of water to beneficial use shall be filed on or before. May 21, 1991 June 21, 1991 Proof of the application of water to beneficial use shall be filed on or before. October 23, 1992 Map in support of proof of beneficial use shall be filed on or before. October 23, 1992 Completion of work filed. AUG 1 2 1991 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. F. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of December	
Work must be prosecuted with reasonable diligence and be completed on or before. May 21, 1991 Application of work shall be filed before. Dune 21, 1991 Application of water to beneficial use shall be made on or before. Details a specific proof of the application of water to beneficial use shall be filed on or before. Details a specific proof of beneficial use shall be filed on or before. Details a specific proof of beneficial use shall be filed on or before. Details a specific proof of beneficial use shall be filed on or before. Details a specific proof of beneficial use filed. The state Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of December	
Proof of completion of work shall be filed before	
Application of water to beneficial use shall be made on or before. Proof of the application of water to beneficial use shall be filed on or before. October 23, 1992 Map in support of proof of beneficial use shall be filed on or before. October 23, 1992 Completion of work filed AUG 1 2 1991 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of December	
Proof of the application of water to beneficial use shall be filed on or before	
Map in support of proof of beneficial use shall be filed on or before	
Completion of work filed AUG 1 2 1991 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 21st day of December	
State Engineer of Nevada, have hereunto set my hand and the seal of my roof of beneficial use filed	Map in support of proof of beneficial use shall be filed on or before
office, this 21st day of December	State Engineer of Nevada, have hereunto set my hand and the seal of my
Certificate No. Issued A.D. 19 90? State Engineer	office, this 21st day of December ,
Certificate No. Issued. NAR 3 1 1993 State Engineer	A.D. 1990?
State Engineer	Pertificate No. Issued Durkae humster PE.
	State Engineer

EXHIBIT "A"

\$1/2 Section 10, W1/2 Section 11, NW1/4 SW1/4, pertions of NW1/4 SW1/4, NW1/4 NW1/4, SW1/4 NW1/4, SW1/4 SW1/4 Section 14, all of Section 15, SE1/4, NE1/4 SW1/4, SE1/4 SW1/4, SW1/4 SW1/4 SW1/4 Section 16, portion of SE1/4 SE1/4 Section 17, portions of NE1/4 NE1/4, SE1/4 NE1/4 Section 20, NW1/4 NW1/4, NE1/4 NE1/4, SE1/4 NE1/4, SW1/4 NE1/4, portions of NW1/4 NE1/4, SW1/4 NE1/4, SW1/4 SW1/4, SE1/4 SW1/4, SW1/4 SW1/4 Section 21, N1/2 NW1/4, NW1/4 NE1/4, portions of NE1/4 NE1/4, SE1/4 NE1/4, SW1/4 NW1/4, NW1/4 NE1/4, NW1/4 NW1/4, NW1/4 SW1/4, SW1/4 NW1/4, NW1/4 NW1/4, NW1/4 Section 22, portion of NW1/4 NW1/4 Section 23, portions of NE1/4 NW1/4, SE1/4 NW1/4, NW1/4 NE1/4, SW1/4 NE1/4, SW1/4 NE1/4, NW1/4 SE1/4, SW1/4 NE1/4, SW1/4 NE1/4, SW1/4 NE1/4, NW1/4 SE1/4, SW1/4 SE1/4, SW1/4 SE1/4 Section 28, T18N, R20E, M.D.B. & M.

STATE ENGINEE

99 24 61 MM 05.